

QK527

F72

1865

LIST

OF

BRITISH FERNS AND THEIR VARIETIES.

COMPILED BY P. NEILL FRASER, EDINBURGH.

[This List contains, so far as known, the names of all the British Ferns and their Varieties hitherto discovered. Mr. Fraser will be glad to be furnished with the names of any new varieties that may be discovered, in order that they may be inserted in future editions of this list.—CANONMILLS LODGE, EDINBURGH, March 1, 1865.]

Adiantum

- Capillus-Veneris, L.
- dissectum
- incisum, M.
- minus
- ramulosum, M.
- rotundatum, M.

Allosorus

- crispus, Bernh.

Asplenium

- Adiantum-nigrum, L.
- acutidentatum, M.
- acutum, Poll.
- attenuatum, M.
- crispatum, M.
- cristatum, M.
- decompositum, M.
- depauperatum, M.
- elongatum, Clap.
- fissum, M.
- habellatum, M.
- furcatum
- incisum, Clap.
- intermedium, M.
- interruptum, Barnes.
- laciniatum, M.
- leptorachis, M.
- microdon, M.
- multifidum, Wol.
- oblongum, M.
- obtusatum, M.
- obtusum, M.
- oxyphyllum, M.
- Serpentini (obtusum)
- serratum, Stansf.
- Silesiacum (decompositum)
- subconfluens, M.
- variegatum, Wol.

fontanum, Bernh.

- achilleaefolium (millefolium)
- angustatum
- depauperatum, Stansf.
- Halleri, R. Br.
- interruptum
- laciniatum, Stansf.
- laxum, Stansf.
- millefolium, Wol.
- ramosum, M.
- variegatum, Clap.
- germanicum, Weiss.
- acutidentatum, M.
- lanceolatum, Huds.
- Claphamii, M.
- crispatum, M.
- elegans, M.
- laciniatum, Wol.
- microdon, M.
- marinum, L.
- acutum, M.
- assimile, M.
- bierenatum, Clap.
- caudiceps, M.
- crenatum, M.
- cuneatum, M.
- elongatum
- incisum, M.
- interruptum, M.
- minus (trapeziforme)
- parallelum, M.
- pulchrum, M.
- ramosum Wollastoni
- Claphami
- ramo-trapeziforme, Clap.
- subbipinnatum, M.
- trapeziforme, Clap.
- refractum, M.
- Ruta-muraria, L.
- alternifoliioides (enneatum)

- cristatum, Wol.
- cuneatum, M.
- depauperatum, Wol.
- dissectum, Wol.
- elatum, Lang.
- pinnatum, M.
- ramosum, M.
- retusum
- sectum, M.
- semicristatum
- serratum
- spathulatum, M.
- trifidum, M.
- unilaterale, M.
- variabile, M.
- septentrionale, Hoff.
- Trichomanes, L.
- abruptum, M.
- bifurcum, Wol.
- ramosum, M.
- crenato-lobatum, M.
- ramosum, M.
- cristatum, Wol.
- depauperatum, Wol.
- dichotomum, M.
- digitatum (multifidum)
- Harovii, M.
- imbricatum, Wol.
- incisum, M.
- laciniatum, M.
- triangulare, M.
- inciso-lobatum, Sim.
- interruptum, Clap.
- lobatum, M.
- ramosum, M.
- majus, Hort.
- minus
- Moulei, Stansf.
- multifidum, M.
- ramosum, Wol.

D.C.

<p>ramo-depauperatum, <i>Clap.</i>  rotundato-multifidum, <i>Wol.</i>  serratum  subæquale, <i>M.</i>  varians, <i>M.</i>  Willisoni, <i>M.</i>  viride, <i>Huds.</i>  acutifolium, <i>Gibs.</i>  acutum  bifidum (multifidum)  bipinnatum, <i>Cl.</i>  cristatum, <i>M.</i>  cuneatum, <i>Wol.</i>  incisum, <i>M.</i>  multifidum, <i>Wol.</i>  obtusilobum (cuneatum)  sphenophyllum, <i>M.</i>  stipitatum, <i>Stansf.</i>  varians, <i>Wol.</i></p> <p><b>Athyrium</b>  Filix-femina, <i>Roth.</i>  abruptum, <i>M.</i>  acrocladon, <i>Clap.</i>  acuminatissimum, <i>M.</i>  acuminatum, <i>M.</i>  acutidens, <i>M.</i>  adnatum, <i>M.</i>  alatum, <i>M.</i>  amplum, <i>M.</i>  apiculatum  Applebyanum, <i>M.</i>  apuaforme, <i>M.</i>  Barnesii, <i>M.</i>  biforme, <i>Stansf.</i>  brachycladon, <i>M.</i>  brachypterum, <i>M.</i>  brevipinnulum, <i>Stansf.</i>  Bulleriæ, <i>M.</i>  capitatum, <i>M.</i>  caudiculatum, <i>M.</i>  colpodes, <i>M.</i>  compositum, <i>Sim.</i>  concinnum, <i>M.</i>  confluens, <i>Tait</i>  conioides, <i>Appleby</i>  convexum (rhæticum)  coronans, <i>Sim.</i>  coronatum, <i>M.</i>  corymbiferum, <i>M.</i>  corymbifero-depaupera-  laxum, <i>Wol.</i> [tum, <i>Wol.</i>  crispatum, <i>M.</i>  crispum, <i>M.</i>  cristato-gracile, <i>Wol.</i>  curtum, <i>Wol.</i>  curvatum, <i>M.</i>  dareoides, <i>M.</i></p>	<p><i>davallioides</i> (dareoides, <i>M.</i>)  decompositum, <i>M.</i>  decurrens, <i>M.</i>  decurrente-cristatum, <i>Wol.</i>  defectum, <i>Wol.</i>  deficiens, <i>M.</i>  delicatissimum, <i>Stansf.</i>  densum (stipitatum)  denticulatum, <i>Wol.</i>  depauperatum, <i>Wol.</i>  <i>multiceps</i> (corymbif.-  diffissum, <i>M.</i> [depaup.]  angustifrons, <i>M.</i>  gracile, <i>M.</i>  regulare, <i>M.</i>  diffisso-coronans, <i>Sim</i>  gracile, <i>M.</i>  multifidum, <i>M.</i>  multiforme, <i>M.</i>  polydaetylum, <i>Sim</i>  dilaceratum, <i>M.</i>  discretum, <i>M.</i>  dissectum, <i>Wol.</i>  distans, <i>M.</i>  divaricatum, <i>M.</i>  diversifrons, <i>M.</i>  elegantissimum, <i>M.</i>  elongatum, <i>Wol.</i>  Elworthii, <i>M.</i>  erosum, <i>Wol.</i>  cristatum, <i>M.</i>  minus, <i>M.</i>  eroso-decurrens, <i>M.</i>  excellens, <i>M.</i>  excurrens, <i>M.</i>  exiguum, <i>M.</i>  exile, <i>M.</i>  Fieldiæ, <i>M.</i>  <i>Prichardii</i>, <i>M.</i> (<i>Pri-</i>  <i>chardii</i>, <i>Stansf.</i>)  pumilum, <i>M.</i>  fimbriatum, <i>M.</i>  inssidens, <i>M.</i>  fissidente excurrens, <i>Wol.</i>  flavo-tinctum, <i>Wol.</i>  flexum, <i>M.</i>  flexuosum, <i>M.</i>  foliosum, <i>M.</i>  folioso-cristatum, <i>Wol.</i>  multifidum, <i>Wol.</i>  foveatum, <i>M.</i>  Friselliæ, <i>Bain</i>  frondosum, <i>M.</i>  frondoso-polydaetylum, <i>Sim</i>  furcans, <i>M.</i>  furcatum, <i>M.</i> (multifidum)  furcillatum, <i>M.</i>  fureilobum, <i>M.</i></p>	<p>glomeratum, <i>M.</i>  gracile, <i>M.</i>  gracile-polydaetylum, <i>M.</i>  gracilissimum, <i>M.</i>  grande, <i>Wol.</i>  grandiceps, <i>M.</i>  grandidens, <i>M.</i>  grandidissimum, <i>Wol.</i>  Grantiæ, <i>M.</i>  impastum, <i>M.</i>  incisum, <i>Newm.</i>  <i>truncatum</i>, (laciniato-  truncatum)  incompletum, <i>M.</i>  incomptum, <i>M.</i>  inconditum, <i>M.</i>  inexpletum, <i>M.</i>  informe, <i>M.</i>  infundibuliceps, <i>M.</i>  interruptum, <i>Wol.</i>  involvens, <i>M.</i>  irregulare, <i>M.</i>  Iveryanum, <i>M.</i>  laceratum, <i>M.</i>  laciniatum, <i>M.</i>  confluens, <i>M.</i>  dissectum, <i>M.</i>  elegans, <i>Clap.</i>  interruptum, <i>Clap.</i>  lineatum, <i>M.</i>  majus, <i>M.</i>  minus, <i>M.</i>  truncatum, <i>M.</i>  latifolium, <i>Bab.</i>  multifidum, <i>Stansf.</i>  latipes, <i>M.</i>  Laveyanum, <i>Ivery</i>  laxum, <i>M.</i>  attenuatum, <i>M.</i>  multifidum, <i>M.</i>  penicillatum, <i>M.</i>  lepidum, <i>Sim</i>  limbospermum, <i>M.</i>  macilentum, <i>M.</i>  marinum, <i>M.</i>  mesembryanthemoides,  Michauxi  minimum, <i>M.</i>  molle, <i>M.</i>  incisum  Monkmanii, <i>M.</i>  monstruosum (depauperatum)  mucronatum, <i>M.</i>  multiceps, <i>M.</i>  <i>multicristatum</i> (Elworthii)  multicuspe, <i>M.</i>  multidens, <i>M.</i>  multifidum, <i>M.</i></p>
---	---	--

furcans, *M.*  
 minus, *M.*  
 nanum, *M.*  
   angustatum, *Stansf.*  
 ramosum, *M.*  
   semidepauperatum, *Sim*  
 multifurcatum, *M.*  
 nudatum, *M.*  
 oblongum, *M.*  
 obtusum, *M.*  
 odontomanes, *M.*  
 Ordeanae, *M.*  
 ovatum, *Roth*  
 oxydens, *M.*  
 pannosum, *M.*  
   nanum, *M.*  
   pannoso-diffissum, *M.*  
 Parsonsiae, *M.*  
 parvo-capitatum, *Wol.*  
 parviceps, *M.*  
 patens, *M.*  
 pinnatum, *M.*  
 plumosum, *M.*  
   Barnesii, *M.*  
   Thompsonii,  
 plumoso-multifidum, *Stansf.*  
 polycladon, *M.*  
   dissectum, *M.*  
   irregulare, *M.*  
   minus, *M.*  
 polydactylon, *M.*  
   majus, *M.*  
 præmorsum, *M.*  
 præmorso-cristatum, *Wol.*  
 Prichardii, *Stansf.*  
 productum, *M.*  
 pruinosum, *M.*  
 pseudathyrioides, *Stansf.*  
 pterophorum, *Wol.*  
 pulcherrimum, *Wol.*  
 pulchrum, *Wol.*  
 purpureum, *Hort.*  
 pygmæum, *M.*  
 pyramidale, *M.*  
 ramo-grandiceps, *Clap.*  
 ramosum, *Wol.*  
   ramoso-cristatum, *Sim*  
     polydactylum, *M.*  
     thyssanotum, *M.*  
 ramulosum, *M.*  
 refractum, *M.*  
 repressum, *Sim*  
 rhæticum, *M.*  
 interruptum, *M.*  
 irregulare, *M.*  
 multifidum, *M.*  
 nanum, *M.*  
 sagittatum, *M.*

semidepauperatum, *Clowes*  
 Sinclairiæ, *M.*  
 stenodon, *M.*  
 stenophyllum, *M.*  
 stipatum, *Wol.*  
 strigosum, *Sim*  
 subcristatum, *Wol.*  
 subcruceatum, *Sim*  
 subcruceiforme, *Wol.*  
 subdepauperatum, *M.*  
 subdigitatum, *M.*  
 suberosum, *M.*  
 sublacinatum, *M.*  
 submultifidum,  
 subplumosum, *M.*  
 tenue, *M.*  
 thyssanotum, *M.*  
   minus, *Sim*  
   multiceps, *Sim*  
 tortile, *M.*  
 trifidum, *M.*  
 truncatum, *Clap.*  
 Tyrelliæ, *M.*  
 unicum, *M.*  
 undulatum, *M.*  
 validum, *M.*  
 variabile, *M.*  
 varians, *M.*  
 variegatum, *Wol.*  
 Vernoniæ, *Jervis*  
 Victoriæ, *M.*

**Blechnum**

Spicant, *Sm.*  
 aberrans, *Wol.*  
 abruptum, *M.*  
 angustifrons, *M.*  
 anomalum, *M.*  
   minus, *M.*  
 apiculatum, *M.*  
 attenuatum, *M.*  
 bifidum, *Wol.*  
 brevifrons, *M.*  
 brevilobum, *M.*  
 caudatum, *M.*  
 cladophorum, *M.*  
 concinnum, *M.*  
 condensum, *M.*  
 contractum, *M.*  
   *crassicaule* (imbricatum)  
 crispatum, *Wol.*  
 crispato-imbricatum, *M.*  
 crispum, *Wol.*  
   auritum, *M.*  
 crista-galli, *Wol.*  
 cristatum, *Wol.*  
 deficiens, *M.*  
 dentigerum, *M.*

divergens, *M.*  
 erosum, *M.*  
 fissum, *M.*  
 flabellatum, *M.*  
 furcatum, *Stansf.*  
 gracile, *Stansf.*  
 heterophyllum, *Wol.*  
 imbricatum, *M.*  
 imbricato-erectum, *Stansf.*  
 imparatum, *M.*  
 inæquale, *M.*  
 interruptum, *Wol.*  
 lancifolium, *Wol.*  
   anomalum, *Stansf.*  
 latifrons, *M.*  
 latipes, *M.*  
 lineare, *M.*  
 longidactylum, *Wol.*  
 majus, *M.*  
 marginato-irregulare, *Clap.*  
 minimum, *M.*  
 Monkmanii, *Stansf.*  
 multiceps, *M.*  
 multifidum, *Wol.*  
 multifurcatum, *M.*  
 mundulum, *M.*  
 parvulum, *M.*  
 pauperculum, *M.*  
 perserratum, *Wol.*  
 polydactylon, *M.*  
 porrectum (cladophorum)  
 præmorsum, *Wol.*  
 projectum, *M.*  
 ramo-depauper. (variabile)  
 ramosum, *Kinahan*  
   anomalum, *Stansf.*  
   brevilobum, *Sim*  
 repandum, *M.*  
 Serra, *M.*  
 serratum, *Wol.*  
   rigidum, *Stansf.*  
 serrulatum, *Stansf.*  
 sinuatum, *M.*  
 strictum, *Francis*  
 subrenatum  
 subrenato-interruptum, *S.*  
 subserratum, *M.*  
   imbricatum, *Stansf.*  
 tridactylum, *M.*  
 trinervium, *Wol.*  
 variabile, *M.*  
 varians, *Wol.*  
 variegatum, *Stansf.*

**Botrychium**

Lunaria, *Sw.*  
 incisum, *Milde*  
 lanceolatum (rutaceum)

- rutaceum, *M.*  
 tripartitum, *M.*
- Ceterach**  
*officinatum*, *Willd.*  
*crenatum*, *M.*  
*depauperatum*, *Wol.*  
*ramosum*, *M.*
- Cystopteris**  
*fragilis*, *Bernh.*  
*angustata*, *Link*  
*asplenioides*, *M.*  
*cristata*, *Wol.*  
*decurrens*, *Tait*  
*dentata*, *Hook.*  
*Dickieana*, *M.*  
*crispa*, *Tait*  
*furcans*, *M.*  
*intermedia*, *Sim*  
*interrupta*, *Wol.*  
*obtusa*, *M.*  
*ramosa*, *M.*  
*sempervirens*, *M. (rhaetica)*  
*tripinnata*, *Rupr.*  
*montana*, *Bernh.*  
*regia*, *Desv.*  
*furcans*, *Lyell*
- Gymnogramme**  
*leptophylla*, *Desv.*
- Hymenophyllum**  
*tunbridgense*, *Sm.*  
*unilaterale*, *Bory*  
*Wilsoni (unilaterale)*
- Lastrea**  
*æmula*, *Brack.*  
*angustipinnula*, *M.*  
*crispa*, *M.*  
*interrupta*, *Clap.*  
*odontomanes*, *M. (L. dilatata odontomanes)*  
*ramo-crispa*, *Clap.*  
*ramosa*, *Clap.*  
*cristata*, *Presl.*  
*spinulosa*, *M.*  
*crispa*, *M.*  
*furcans*, *Monkm.*  
*interrupta*, *M.*  
*nana*, *Sim*  
*strigosa*, *M.*  
*tripinnata*, *M.*  
*uliginosa*, *M.*  
*dilatata*, *Presl.*  
*acuminata*, *M.*  
*adnata*, *M.*
- alpina*, *M.*  
*contracta*, *M.*  
*unca*, *M.*  
*alta*, *M.*  
*amœna*, *Lowe*  
*angusta*, *M.*  
*angustipinnula*, *M.*  
*athyrioides*, *M.*  
*Blakei*, *M.*  
*Chanteriae*, *M.*  
*collina*, *M.*  
*compacta*, *Sim*  
*concinna*, *M.*  
*crispa*, *M.*  
*cristata*, *M.*  
*Dadsii*, *Wol.*  
*curvula*, *M.*  
*davallioides*, *Lowe*  
*decurrens*, *M.*  
*deltoides*, *M.*  
*distans*, *M.*  
*divergens*, *M.*  
*dumetorum*, *M.*  
*erecta*, *Wol.*  
*erosa*, *Wol.*  
*eroso-interrupta*, *M.*  
*fuscipes*, *M.*  
*glandulosa*, *M.*  
*gracilis*, *M.*  
*grandidens*, *M.*  
*Hankeyana*, *M.*  
*Howardii*, *Monkm.*  
*inæqualis*  
*interrupta*, *M.*  
*minima*, *M.*  
*irregularis*, *M.*  
*lacerata*, *M.*  
*lata*, *M.*  
*laxa*, *M.*  
*lepida*, *M.*  
*lepidota*, *M.*  
*micromera*, *M.*  
*minima*, *M.*  
*nana*, *M.*  
*obtusa*, *M.*  
*odontomanes*  
*Ordeana*, *M.*  
*pumila*, *M.*  
*pygmæa*, *M.*  
*ramosa*, *M. Nab*  
*nana*, *M.*  
*recurvifolia*, *M.*  
*robusta*, *M.*  
*rugosa*, *Tait*  
*Scheerii*, *M.*  
*Smithii*, *M.*  
*sparsifolia*, *Lowe*  
*Stansfieldii*, *M.*
- stenophylla*, *M.*  
*stricta*, *M.*  
*tanacetifolia*, *M.*  
*tenera*, *M.*  
*uncinella*, *M.*  
*valida*, *M.*
- Filix-mas**, *Presl.*  
*abbreviata*, *Bab.*  
*cristata*, *Cl.*  
*acrocladon*, *Lowe*  
*acutidens*, *M.*  
*affinis (incisa)*  
*Andersonii*, *M.*  
*apicidentata*, *M.*  
*attenuato-multifida*, *Wol.*  
*Barnesii*, *M.*  
*Beeveriæ*, *Lowe*  
*biformis*, *M.*  
*biserrata*, *M.*  
*Bollandiæ*, *M.*  
*Borreri (paleacea)*  
*Clowesii*, *M.*  
*crispa*, *Sim*  
*gracilis*, *Lyell*  
*cristata*, *M.*  
*angustata*, *M.*  
*aspera*, *Sim*  
*caudata*, *Fraser*  
*depauperata*, *Monkm.*  
*prolifera*, *Wol.*  
*decurrens*, *M.*  
*dentata*, *Lowe*  
*dentex*, *M.*  
*deorso-lobata*, *M.*  
*depauperata*, *M.*  
*Monkmanii*, *Monkm.*  
*dichotoma*, *Wol.*  
*digitata*, *Jones*  
*dissimile*, *Monkm.*  
*elegans*, *M.*  
*elongata*, *M.*  
*erosa*, *Cl.*  
*eroso-dentigera*, *M.*  
*interrupta*, *M.*  
*polydactyla*, *M.*  
*eulophe*, *Lowe*  
*excurrens*, *M.*  
*fissa*, *M.*  
*flexuosa*, *M.*  
*foliosa*, *Lowe*  
*furcans*, *M.*  
*gracilis*, *Wol.*  
*grandiceps*, *Wol.*  
*imbricata*, *M.*  
*incisa*, *M.*  
*crispa*, *M.*  
*irregularis*, *M.*  
*recurva*, *M.*

Ingramii, *M.*  
 interrupta, *M.*  
 irregularis  
 Jervisii, *M.*  
 latipes, *M.*  
 Marsdeniæ, *Lowe*  
 mikra, *Lowe*  
 minor, *M.*  
 Monkmanii, *Lowe*  
 monstrosa, *M'Nab*  
 multieristata, *Lowe*  
 multifida, *Wol.*  
 multififormis, *Wol.*  
 nana, *M.*  
 oreopteroides, *Lowe*  
 paleacea, *M.*  
 paleaceo-crispa, *M.*  
     *crispata, Wol.*  
     *cristata*  
     *erosa, M.*  
     *furcans, M.*  
     *incisa, M.*  
     *lobata, M.*  
     *multifida, M.*  
     *trapeziforme, Mm*  
 pallescens, *M.*  
 Pinderi, *M.*  
 pinnatifida, *Lowe*  
 polycuspis, *M.*  
 polydaetyla, *M.*  
 polymorpha, *Wol.*  
 producta, *M.*  
 prolifera, *Wol.*  
 propinqua, *Wol.*  
 pulchra, *Wol.*  
 pumila, *M.*  
 ramosa, *M.*  
 ramosissimum, *M.*  
 recedens, *M.*  
 recurvata, *M.*  
 Schofieldii, *Sim*  
 serrata  
 serrato-multifida, *Monkm.*  
 stenophylla, *M.*  
 stipitata  
 stricta, *Wol.*  
 suberispia, *M.*  
 suberistata, *M.*  
 subintegra, *M.*  
 tentex, *M.*  
 tortilis, *M.*  
 triangularis, *M.*  
 truncata, *Clap.*  
 variabilis, *Monkm.*  
 variegata *Graysoni, Clap.*  
 Willsonii, *M.*  
 montana, *M.*  
 abrupta, *M.*

attenuato-cristata, *Wol.*  
 breviloba, *M.*  
 caudata, *M.*  
 crispa, *M.*  
 cristata, *M.*  
 curvata, *M.*  
 flavo-variegata, *Clap.*  
 furcans, *M.*  
 interrupta, *M.*  
 Nowelliana, *M.*  
 plumosa, *M.*  
 truncata, *Wol.*  
 variegata, *Wol.*  
*propinqua, Wol. (L. F. mas*  
*abbreviata)*  
 remota, *M.*  
 rigida, *Presl.*  
 polyclados, *M.*  
 Thelypteris, *Bory*

**Ophioglossum**

lusitanicum, *L.*  
 vulgatum, *L.*  
 microstichum, *M.*  
 minus (microstichum)

**Osmunda**

regalis, *L.*  
 cristata, *M.*  
 interrupta, *M.*  
 pallida, *M.*  
 purpurascens, *M.*

**Polypodium**

alpestre, *Hoppe*  
 flexile, *M.*  
 incisum  
 interruptum, *Sim*  
 laciniatum, *M.*  
 lanceum, *M.*  
 præmorsum, *M.*  
 tripinnatum, *M.*

*Dryopteris, L.*

*Phegopteris, L.*

heterophyllum, *M.*  
 incisum (laciniatum)  
 interruptum, *Lyell*  
 laciniatum  
 minus, *M.*  
 multifidum, *Lowe*

*Robertianum, Hoff.*

vulgare, *L.*

abruptum

acutum, *M.*

*Stansfieldii, Lowe*

acuto-lobatum, *Wol.*

apicidentatum, *M.*

attenuatum, *M.*

auritum, *Willd.*  
 aurito-dentatum, *Monkm.*  
     *semilacerum, M.*  
     *serrulatum, M.*  
 bifidum, *Francis*  
 bifido-lobatum, *M.*  
     *serratum, M.*  
 biserratum, *M.*  
 cambricum, *L.*  
 canariense, *M.*  
 capitatum, *Wol.*  
 compositum, *M.*  
 coriaceo-bifidum, *Monkm.*  
 crenatum, *Wol.*  
 cristatum, *M.*  
 deltoideum, *Wol.*  
 dentatum, *Monkm.*  
 denticulatum, *M.*  
 excurrens, *Wol.*  
 hibernicum (semilacerum)  
 interruptum, *Wol.*  
 Kraspedoumenon, *Lowe*  
 laciniatum, *M.*  
 lobatum, *Sideb.*  
 macrotis, *M.*  
 marginatum, *Wol.*  
 mediauratum, *Wol.*  
 Monkmanii, *M.*  
 multauratum, *Wol.*  
 multifidum, *M.*  
 multifido-cristatum, *M.*  
 multiforme, *Cl.*  
 obtusum, *Stansf.*  
 omnilacerum, *M.*  
 ovatum, *M.*  
 proliferum, *Wol.*  
 pulcherrimum, *M.*  
 ramosum, *M.*  
 Saltii, *M.*  
 semilacerum, *Link.*  
 serratum, *Willd.*  
 serrato-truncatum, *M.*  
 serrulatum, *Wol.*  
 serrulato-bifidum, *Monkm*  
 sinuatum, *Willd.*  
     *Monkmanii, M.*  
 suberistatum, *Wol.*  
 suprasoriferum, *Wol.*  
 Thompsoni, *Monkm.*  
 tortile, *M.*  
 truncatum, *M.*  
 variegatum, *Wol.*  
 venosum, *M.*  
 virginianum, *M.*

**Polystichum**

aculeatum, *Roth.*  
 acrocladon, *Lowe*

- alatum, *Wol.*  
 argutum, *M.*  
 crassum, *M.*  
 cristatum, *M.*  
 densum, *M.*  
 dissectum, *Wol.*  
 dubium, *Wol.*  
 elegans, *Lowe*  
 furcatum, *Lowe*  
 grandilobum, *Wol.*  
*grandiceps*, *Wol.* (*acrocladon*)  
 interruptum, *Lowe*  
 laciniatum, *Williams*  
 lobatum, *Deak.*  
*lonchitidoides* (lobatum)  
 micaceum, *Miles.*  
 multifidum, *Wol.*  
 plumosum, *Lowe*  
 proliferum, *Wol.*  
 pteromorphum, *M.*  
 pulchrum, *Lowe*  
 subcristatum, *Wol.*  
 submarginatum, *Wol.*  
 tenue, *M.*  
 angulare, *Presl*  
*abruptum* (*præmersum*)  
 absimile, *M.*  
 achurodes, *Lowe*  
 acrocladon, *M.*  
 aculeatoides, *Wol.*  
 cristatum, *Wol.*  
 aculeatum, *M.*  
 acuminatum, *M.*  
 acutale, *M.*  
 acutidentatum, *M.*  
 acutifrons, *Wol.*  
 acutilobum, *Wol.*  
 acutum, *Wol.*  
 dissectum, *M.*  
 acuto-gracile, *Wol.*  
 affine, *M.*  
 affluens, *M.*  
 alatum, *M.*  
 amplexicaule, *Wol.*  
*angustatum* (*proliferum*)  
 angustifrons, *M.*  
 angustipinnulum, *M.*  
 angustum, *Wol.*  
*apiculatum*, *Wol.* (*furcatum*)  
 arctatum, *M.*  
 aristatum, *Wol.*  
 ascendens, *Lowe*  
 athyrioides, *Wol.*  
 attenuatum, *M.*  
 attenuato-cristatum, *Wol.*  
*Bayliæ*, *Lyell*  
 bilobatum, *Wol.*  
 bipinnulum, *Wol.*  
 biserratum, *M.*  
 crispatum, *Wol.*  
 decompositum, *Lowe*  
 incompletum, *M.*  
 laxum, *Wol.*  
 quadratum, *Wol.*  
 brachiatum, *M.*  
 congestum, *Wol.*  
 cristatum, *Jervis*  
 multifidum, *Lowe*  
 brevipinnulum, *M.*  
 bulbiferum, *M.*  
 calcaratum, *Wol.*  
 emariense, *M.*  
 caudiceps, *M.*  
 ciliatum, *M.*  
*Claphamii* (*multifidum*)  
 concavum  
*concinnum* *M.* (*elegans*)  
 condensatum, *M.*  
 confluens, *M.*  
 congestum, *M.*  
 cupuliforme, *Lowe*  
*conspicuilobum* (*acutilobum*)  
 conspicuum, *Wol.*  
 contractum  
 convexum  
 coriaceum, *Wol.*  
 cornutum, *Wol.*  
*cornutum* (*grandidens*)  
 corymbiferum, *M.*  
 crassum, *Wol.*  
 crenatum, *M.*  
 crispatum, *Wol.*  
*crispum*, *Wol.* (*refractum*)  
 cristatum, *M.*  
 Grayi  
 Jacksoni  
 Padleyi  
 Wollastoni, *Sim*  
 cristato-gracile, *Wol.*  
 Stansfieldii, *Wol.*  
 cristulatum, *M.*  
*cruciatum*, *Wol.* (*Elworthii*)  
 cruciferum, *Wol.*  
 cuneatum, *Wol.*  
 cuneato-cristatum  
 curtum, *M.*  
 decompositum, *Wol.*  
 Elworthii, *Lowe*  
 multifidum, *Lowe*  
 splendens, *Lowe*  
 decurrens, *M.*  
 defectum, *M.*  
 deltoideum, *Wol.*  
 densum, *M.*  
 acutum, *M.*  
 denticulatum, *M.*  
 deorso-pinnatum, *M.*  
 depauperatum, *M.*  
 differens, *Wol.*  
 diffissum, *Wol.*  
 diffusum, *Lowe*  
*discretum* (*proliferum*)  
 dispar, *Wol.*  
 dissimile, *M.*  
 diversum, *Wol.*  
 divisilobum, *Wol.*  
 divinum, *Wol.*  
 diviso-crispatum, *Wol.*  
 dubium, *Wol.*  
 elegans, *Wol.*  
 Elworthii, *M.* (*cruciatum*)  
 multifidum  
 Wakeleyanum, *M.*  
 eraston, *Lowe*  
 euprepes, *Lowe*  
 exile, *Wol.*  
 extremum, *Lowe*  
*falcatum* (*laxum*)  
 flexuosum, *Wol.*  
 foliosum, *Wol.*  
 fontanoides, *Wol.*  
 formosum, *Lowe*  
 furcatum, *M.*  
 furcillatum, *M.*  
 gracile No. 1, *Wol.*  
 No. 2, *Wol.*  
 grande, *Wol.*  
 grandiceps, *M.*  
 grandidens, *M.*  
 angustatum, *Lowe*  
 Baileyanum, *Lowe*  
 cornutum, *Jervis*  
 Grayii, *Lowe*  
 minus, *Sim*  
 siciforme, *Sim*  
 grandilobum, *Wol.*  
 Grayii, *M.*  
 hastulatum, *M.*  
*hirsutum* (*prolif.* *Cranford-*  
*hirtellum*, *Wol.* [*iumum*])  
 hirtum, *Wol.*  
 imbricatum, *M.*  
 inæquale, *M.*  
 cristatum, *Wol.*  
 variegatum, *Wol.*  
 incisum, *Wol.* (*sectum*)  
*inciso-acutum* (*acuto-dis-*  
*incompletum*, *Lowe*)  
 indivisum, *Wol.*  
 ingens, *Wol.*  
 intermedium, *M.*  
 interruptum, *Wol.*  
 interrupto-setosum, *Wol.*  
 irregulare, *M.*

kalon, *Lowe*  
 Kitsoniæ, *M.*  
 kladodesteron, *Lowe*  
 korumbion, *Lowe*  
 kumatodes, *Lowe*  
 laciniatum (interruptum)  
 lanceolatum, *M.*  
 lancifolium, *Lowe*  
 lastreoides, *M.*  
 latipes, *M.*  
 latipinnulum, *M.*  
 latum, *M.* (præmorsum)  
 laxum, *M.*  
 levidense, *Wol.* (semitripin-  
 natum)  
 lineare, *M.*  
 proliferum, *Lowe*  
 lineatum, *Stansf.* (lineare)  
 lobatum, *M.*  
 longicaule, *Wol.* (latipes)  
 magnum, *M.*  
 majus, *M.*  
 micromerum, *M.*  
 microphyllum  
 mikron, *Lowe*  
 minimum, *M.*  
 monolobum, *M.*  
 multicristatum (Kitsoniæ)  
 multifidum, *Wol.*  
 multifido-cristatum, *M.*  
 splendens  
 multiforme, *Wol.*  
 multilobum, *Wol.*  
 mundum, *Wol.*  
 obovatum, *M.*  
 obtusipinnulum, *Wol.*  
 obtusissimum, *M.*  
 obtusum, *M.*  
 opacum, *M.*  
 ornatum, *M.*  
 ovatum, *M.*  
 oxu, *Lowe*  
 oxyphyllum, *M.*  
 parvulum, *Lowe*  
 pauperculum, *M.*  
 phylloideum, *Lowe*  
 plenum, *Wol.*  
 plicatum, *Wol.*  
 plumoso-gracile, *M.* (ineisum)  
 plumosum, *Wol.*  
 Elworthis  
 Jacksoni  
 Wollastoni  
 polneides, *Lowe*  
 polyclados, *M.*  
 polydactylum, *M.*  
 cornutum, *Lowe*  
 præmorsum, *All.*

præmorso-pulchrum, *M.*  
 Wollastoni, *Lowe*  
 productum, *M.*  
 projectum, *Wol.*  
 proliferum, *M.*  
 Alchinii  
 angustatum, *Hort.*  
 Cranfordianum, *Phillips*  
 Footii, *M.*  
 Hardingii, *Lowe*  
 Holeanum, *M.*  
 Padleyanum, *Lowe*  
 tenue, *Clap.*  
 Wollastoni, *M.*  
 prolongum, *M.*  
 pterophorum, *M.*  
 pteroton, *Lowe*  
 pulchellum, *Wol.*  
 pulchello-cristatum, *Wol.*  
 pulchrum, *M.*  
 irregulare, *Sim*  
 pumilum, *M.*  
 pyramidale, *M.*  
 quadratum, *M.*  
 ramo-corymbiferum, *Lowe*  
 ramosissimum, *Lowe*  
 ramosum, *M.*  
 ramulosum, *M.*  
 reflexum, *Wol.*  
 refractum, *Wol.*  
 remotum, *Wol.*  
 retroflexum, *Jervis*  
 retrusum, *Wol.*  
 rigidum, *M.*  
 robustum, *M.*  
 rotundatum, *M.*  
 rotundilobum, *Sim*  
 semitripinnatum, *M.*  
 serratum, *M.*  
 setaceum, *Sim*  
 setigerum, *M.*  
 setosum (quadratum)  
 setoso-dentatum, *Wol.*  
 gracile, *Wol.*  
 spinulosum, *M.*  
 stenophyllum, *M.*  
 stimulans, *M.*  
 stipatum, *Wol.*  
 tripinnatum, *M.*  
 stipitatum, *Stansf.*  
 suberistatum, *Wol.*  
 subhastatum, *M.*  
 subplumosum, *Wol.*  
 subquadripinnatum, *Wol.*  
 (deorso-pinnatum, *M.*)  
 subtripinnatum, *M.*  
 subvariegatum, *Wol.*  
 supralineatum, *Wol.* (lineare)

tenellum, *M.*  
 Thompsoniæ, *Lowe*  
 trapezoideum, *M.*  
 angustatum, *M.*  
 triangulare, *Wol.*  
 trinervium, *Wol.*  
 tripinnatum, *M.*  
 tripinnato-acutum, *M.*  
 decompositum, *Lowe*  
 truncatum, *Lowe*  
 turgidum, *Wol.*  
 undulosum, *Wol.*  
 variabile, *M.*  
 varians, *Wol.*  
 variegatum, *Wol.*  
 variegato-crispatum, *Wol.*  
 cristatum, *Wol.*  
 præmorsum, *Wol.*  
 vestitum, *Lowe*  
 viviparum, *Wol.*  
 Lonchitis, *Roth*  
 confertum, *Lowe*  
 multifidum, *Wol.*  
 proliferum, *Wol.*

**Pteris**

aquilina, *L.*  
 caudata  
 crispa, *Wol.*  
 depauperata, *Wol.*  
 erosa, *M.*  
 integerrima, *M.*  
 multifida, *Wol.*  
 variegata

**Scolopendrium**

vulgare, *Sm.*  
 abruptum, *M.*  
 acricladon  
 aduncum, *M.*  
 alatum, *Clap.*  
 albescens, *M.*  
 albicorne, *Stansf.*  
 angustatum (polysechides)  
 angustato-marginatum, *Wol.*  
 angustum, *M.*  
 apicilobum, *M.*  
 biforme, *Wol.*  
 bimarginatum, *Wol.*  
 bimarginato-cordatum, *M.*  
 multifidum, *Sim*  
 muricatum, *M.*  
 bisagittatum, *M.*  
 bullatum, *M.*  
 ceratophyllum, *M.*  
 cervi cornu, *M.*  
 cheiophorum, *Stansf.*  
 chelæfrons, *Wol.*  
 majus, *Wol.*

Claphamii, *M.*  
 complicatum, *Wol.*  
 compositum, *M.*  
 confertum, *Sim*  
 conjunctum, *M.*  
 constellatum, *Clap.*  
 constrictum, *M.*  
 contortum, *M.*  
 contractum, *Wol.*  
 coriaceum, *James*  
 cornutum, *M.*  
 cornuto-abruptum, *M.*  
 corrugatum, *Wol.*  
 corrugato-fissum, *Stansf.*  
 corymbiferum  
   majus, *Ivery*  
 Cousensii, *M.*  
 crassifolium, *Sim*  
 crenato-crispum, *Monkm.*  
   lobatum, *M.*  
   multifidum, *M.*  
 crenulatum  
 crispatum, *M.*  
   varians, *M.*  
 crispum, *Gray*  
   bulbiferum  
   densum, *Sim*  
   fertile  
   irregulare, *M.*  
   latum, *M.*  
   majus, *Jacks.*  
   minus, *Jacks.*  
   soriferum  
   varians, *M.*  
 crista galli, *Wol.*  
 cristatum, *Clap.*  
 cristato-digitatum, *Sim*  
   minus, *Sim*  
   nanum, *M.*  
   ramosum, *M.*  
   transversum, *M.*  
 cristulum, *Wol.*  
 curiosum, *Wol.*  
 curtum, *M.*  
 cymbæforme, *Wol.*  
 dædaleum (digitatum), *Wol.*  
 dentatum, *M.*  
 denticulatum, *M.*  
 deorso-cristatum, *Sim*  
 depauperatum, *Wol.*  
 detectum, *M.*  
 digitatum, *Wol.*  
   nanum, *Stansf.*  
 discolor, *Wol.*  
 dissimile, *Wol.*  
 distortum, *M.*  
 divaricatum, *M.*  
 divergens, *M.*

Drummondiae, *M.*  
 elato-lobatum, *M.*  
 elegans, *M.*  
 Elworthii, *M.*  
 endivæfolium (laceratum)  
 epiphyloides, *M.*  
 excurrens, *M.*  
 fallax, *M.*  
 fimbriatum, *All.*  
 fissidens, *Wol.*  
 fissile, *M.*  
   Monkmanii  
 fissum, *M.*  
   latum, *M.*  
 fisso-lobatum, *M.*  
 flabellatum, *M.*  
 flavo-papillosum  
   tinctum, *M.*  
 fœcundum (viro-polyschides)  
 furcans, *M.*  
 furcatum, *Wol.*  
 geminum, *Sim*  
 glomeratum, *M.*  
 glomerato-digitatum, *Sim*  
 Gloveri, *Stansf.*  
 gymnosorum, *M.*  
 hastatum, *M.*  
   majus, *Elw.*  
 hemionitoides, *M.*  
 Hilmanii, *Williams*  
 imbossum, *M.*  
 imperfectum, *Wol.*  
 inæquale, *All.*  
 incisum, *Barnes*  
 infralineatum, *Williams*  
 inops, *M.*  
 interruptum, *Wol.*  
 irregulare, *M.*  
   laciniatum, *M.*  
   majus, *Stansf.*  
 Iveryanum, *Ivery*  
 Jacksonii, *M.*  
 jugosum, *M.*  
 Kitsoniæ, *M.*  
 laceratum, *M.*  
 lacerato-dissectum, *M.*  
   elegans, *M.*  
   marginatum, *Sim*  
   Monkmanii, *M.*  
   ramosum, *M.*  
 lacerum (depauperatum)  
 laciniatum, *Wol.*  
 lanceolato-marginatum, *Wol.*  
 lanceolum, *M.*  
 lato-digitatum, *Stansf.*  
   multifidum, *M.*  
 limbospermum, *M.*  
 limbospermo-cristatum, *Wol.*

lineare  
 lineatum, *M.*  
 lobatum, *Deak.*  
 lonchophorum, *M.*  
 longipes, *M.*  
 macrosorum, *M.*  
 maculosum, *M.*  
 Maineanum, *M.*  
 Malcolmsoni, *Stansf.*  
 marginatum, *M.*  
 marginato-abruptum, *Stansf.*  
   acutum, *Stansf.*  
   angustum, *Clap.*  
   cornutum, *M.*  
   corrugatum, *M.*  
   crenatum  
   cristatum, *M.*  
   fimbriatum, *M.*  
   fissile, *Sim*  
   fissum, *M.*  
   irregulare, *M.*  
   laceratum, *Clap.*  
   latipes, *M.*  
   lobatum, *M.*  
   multiceps, *M.*  
   multifidum, *Sim*  
   papillosum, *M.*  
   pygmæum, *Sim.*  
   tenue, *M.*  
 Martynianum, *Stansf.*  
 microdon, *M.*  
 Monkmanii, *M.*  
 mucronatum, *M.*  
 multifidum, *Gray*  
   contractum  
   irregulare, *Monkm.*  
   majus  
   resectum, *Stansf.*  
 multiforme, *Wol.*  
 multifurcatum, *M.*  
 muricatum, *M.*  
 muricato-cristatum, *Wol.*  
 mutatum, *M.*  
 naviculæforme (cymbæforme)  
 nudicaule, *All.*  
 obliquo-subcorvatum, *Wol.*  
 obtusidentatum, *M.*  
 obtuso-lobatum, *M.*  
 opacum, *M.*  
 pachyphyllum  
 pallescens, *M.*  
 papillosum, *M.*  
 periferens, *Wol.*  
 periferico-cornutum, *M.*  
 phyllochlæna, *M.*  
 pinnatifidum, *M.*  
 plumoso-lobatum, *M.*  
 pocilliferum, *M.*



polyclados.	rimosum, <i>M.</i>	supralineato-constrictum, <i>M.</i>
polyeuspis, <i>M.</i>	rotundifolium, <i>Stansf.</i>	fimbriatum, <i>M.</i>
angustum, <i>M.</i>	rugosum, <i>All.</i>	lobatum, <i>M.</i>
irregulare, <i>M.</i>	sagittatum, <i>All.</i>	resectum, <i>M.</i>
transversum, <i>M.</i>	sagittato-eristatum, <i>M.</i>	turgidum, <i>M.</i>
undosum, <i>M.</i>	crispum, <i>M.</i>	undosum, <i>Stansf.</i>
polydactylum, <i>Stansf.</i>	laceratum, <i>M.</i>	<i>suprasoriferum</i> (crenato-lobat.
polymorphum, <i>Wol.</i>	lobatum, <i>M.</i>	<i>suprasorifero-dichotomum, M.</i>
polyphyllum, <i>Wol.</i>	nudisorum, <i>Barnes.</i>	tortum, <i>M.</i>
polyschides, <i>Ray</i>	polyeuspis, <i>M.</i>	transverso-lobatum, <i>M.</i>
cornutum	projectum, <i>M.</i>	triforme, <i>Wol.</i>
<i>muricatum</i> (bimarginato-	sagittifolium, <i>Wol.</i>	trilobatum
multifidum)	salebrosum, <i>M.</i>	turgidum, <i>Wol.</i>
pygmæum, <i>M.</i>	scabrum, <i>Wol.</i>	turgido-irregulare, <i>M.</i>
undosum	scalpturatum, <i>M.</i>	uncinatum, <i>M.</i>
projectum, <i>M.</i>	scalpturato-latum, <i>M.</i>	undulatum, <i>M.</i>
projecto-multifidum, <i>M.</i>	lobatum, <i>M.</i>	undulato-lobatum, <i>M.</i>
proliferum, <i>Wol.</i>	marginatum, <i>Sim</i>	multifidum
prominens, <i>M.</i>	'semipinnatum	projectum, <i>M.</i>
pumilum, <i>M.</i>	septentrionale, <i>M.</i>	retinervium. <i>Stansf.</i>
pygmæum, <i>M.</i>	siciforme, <i>Wol.</i>	undulosum, <i>Wol.</i>
ramo-eristatum, <i>Clap.</i>	sinnatum, <i>Wol.</i>	variabile, <i>Wol.</i>
marginatum, <i>Clap.</i>	sinuato-lobatum, <i>M.</i>	eristatum <i>M.</i>
proliferum, <i>Clap.</i>	variegatum	variegatum, <i>Wol.</i>
submarginatum, <i>M.</i>	spirale, <i>M.</i>	<i>Claphami, Clap.</i>
ramosum, <i>Gray</i>	<i>Staley</i> ( <i>laciniatum, W.</i> )	<i>Wollastoni,</i>
<i>Low</i> ( <i>corymbiferum</i> )	Stansfieldii, <i>M.</i>	vespiforme, <i>Clap.</i>
ramoso-contractum, <i>M.</i>	striatum, <i>M.</i>	viviparum, <i>Wol.</i>
eristatum, <i>Clap.</i>	subconfluens, <i>M.</i>	vivo-polyschides, <i>Clap.</i>
densum, <i>Sim</i>	subcornutum <i>M.</i>	marginatum, <i>Clap.</i>
glomeratum, <i>M.</i>	sublineato-striatum	<i>Wardii, Clap.</i>
latum, <i>Sim</i>	submarginatum, <i>Wol.</i>	<i>Weaveri, M.</i>
majus, <i>Clap.</i>	submarginato eristatum, <i>Wol.</i>	
minus, <i>Jackson</i>	dentatum, <i>M.</i>	<b>Trichomanes</b>
<i>Reidæ, M.</i>	multifidum, <i>M.</i>	radicans, <i>Sw.</i>
rugosum, <i>Sim</i>	projectum	<i>Andrewsii, M.</i>
<i>Wollastoni</i>	tenue, <i>Sim</i>	concinus, <i>Sim</i>
reniforme, <i>Williams</i>	subpinnatum, <i>M.</i>	tortilis, <i>Wol.</i>
resectum, <i>M.</i>	subtermuricatum, <i>Wol.</i>	
reticulato-fissum, <i>M.</i>	subvariegatum, <i>Wol.</i>	<b>Woodsia</b>
retinervium, <i>M.</i>	supralineatum, <i>M.</i>	hyperborea, <i>R. Br.</i>
rigidum, <i>Wol.</i>	angustum, <i>Stansf.</i>	ilvensis, <i>R. Br.</i>